

DISCOVER THE POSSIBILITIES

ROLAND DG WIDE FORMAT SOLUTIONS

PRINT



TrueVIS VF2-640 Explore Uncharted Colours

The TrueVIS VF2-640 has a brilliant combination of super vibrant TR2 ink with new Green and Orange and the "True Rich Color" preset that maximises the potential of both printer and ink and enables you to explore uncharted colours for unprecedented gamut expansion, superior colour accuracy, and the unique ability to achieve both vividness and natural reproduction at the same time. The VF2-640 incorporates Roland DG's innovative FlexFire printheads for high-speed, high-precision ink firing, a new media take-up unit with increased stability for smooth post processing according to the type of media chosen, and the Roland Color System Library for quick and easy colour matching of target colours. When paired with Roland DG cutting devices, print and cut data can be automatically processed by the included VersaWorks 6 RIP software for efficient production of stickers, labels, floor signs and much more.

VersaEXPRESS RF-640 Productive Print at an Affordable Price

The RF-640 4-colour eco-solvent printer offers impressive productivity and reliability at an exceptional price. Roland DG's most affordable 1625mm printer delivers outstanding prints day in and day out. Produce banners, posters, wraps, signs and more. The RF-640 features a mirrored CMYKKYMC printhead configuration for maximum quality, GREENGUARD Gold certified ECO-SOL MAX 2 inks and Roland DG VersaWorks 6 RIP. To boost productivity, front-loading ink cartridges can be replaced without stopping the printer and for uninterrupted unattended production, the RF-640 automatically switches to a new ink cartridge when the original is empty. Remotely manage production, test printing and cleaning functions with the Roland DG Printer Assist app.



INTEGRATED PRINT & CUT



TrueVIS VG3-640 and VG3-540 Colour and Productivity in Perfect Harmony

When sign and graphics professionals demanded even more from award-winning TrueVIS printer cutter technology that has earned a remarkable reputation for unparalleled image quality, we answered. With automated features, added usability, and even greater colour choice, TrueVIS VG3 printer cutters have been greatly enhanced to further exceed the print quality, productivity, and uncompromising needs of today's sign and graphics professionals.

TrueVIS SG3-540 and SG3-300 Everything You Need to Build and Succeed

Available in two sizes to fit your business and budget, the latest SG3 series printer cutters have been enhanced to answer the ease and productivity needs of today's sign and graphics providers. Expand your current operation or provide the right start in sign and graphics with the superior colour and performance of next generation TrueVIS SG3 printer cutters.





VersaSTUDIO BN-20, BN-20A Your Sign, Graphics & Apparel Business Starts Here

The BN-20 Series packs everything into one, powerful, profit-producing package. With award-winning eco-solvent inks including metallic and white options, a range of material compatibility and integrated contour cutting, the BN-20 Series features the most versatile print devices in its class. The BN-20 and BN-20A are perfect for creating t-shirt graphics, poster prints, stickers and decals – all from the comfort of your desktop.

TEXTILE



Texart XT-640S-DTG

Turn Up the Volume on DTG

The Texart XT-640S turns up the volume on t-shirts, apparel, and fabric accessory printing without the high industrial price tag. Get productivity, versatility, and flexibility with a direct-togarment printer that allows you to print t-shirts on-demand, as well as large, unique items to expand your products and profitability.

UV

VersaUV LEF2-300D, LEF2-300, LEF2-200 and LEF-12i

Customise, personalise, brand virtually any substrate or item

The VersaUV LEF range of benchtop UV printers are used by professionals worldwide as a cost-effective solution to print directly on substrates and objects up to 200mm in height (LEF2-300D). Print full colour, high resolution images and text on a wide range of substrates including acrylic, wood, board, plastic, fabric, leather, eco-leather, metal* and glass*. The VersaUV series offers the efficient customisation of branded merchandise, industrial goods, product prototypes and much more. ECO-UV ink is available in CMYK plus Gloss for unique textured effects and White for brilliant spot colour and bright colour quality on dark or clear surfaces. An optional on-board primer with the LEF2-200, LEF2-300 and LEF2-300D further increases efficiency by streamlining the print process on materials such as acrylic and plastic.** Includes VersaWorks 6 RIP software.

Maximum print areas: LEF-12i: 305mm x 280mm x 100mm, LEF2-200: 508mm x 330mm x 100mm, LEF2-300: 770mm x 330mm x 100mm, LEF2-300D: 770mm x 330mm x 200mm.

* Primer may be needed for certain applications.
**Primer ink adhesion may vary depending on substrate and conditions. Testing ink adhesion prior to production is recommended.



LEF2-200

LEF2-300

VersaUV LEC2 S-Series Built for Versatility

The LEC2 S-Series UV flatbed printers are unique devices that provide both direct-to-product customisation and direct printing on flexible and rigid materials. Customise signs, merchandise, packaging, displays, and so many more applications with an easy-to-use, multi-functional device that can output an almost unlimited range of custom graphics.





IU-1000F The Ultimate in High-Volume, High-Impact Print Production

For peak performance and unlimited printing possibilities, the IU-1000F UV-LED flatbed printer delivers the speed, super-accurate colour reproduction and creative print expression your customers demand, on demand. With the ability to print directly onto 1220mm x 2440mm media boards with a 110mm height clearance, the IU-1000F is the winning choice for a host of profitable applications including signs, exhibition graphics, interior décor, backlit displays, canvas wall art and more.

VersaUV LEC2-330 and LEC2-640 UV Print & Cut With Real Impact

Taking UV print and cut to another level, the VersaUV LEC2-330/640 delivers unparalleled UV print quality, accurate colour reproduction, integrated precision cutting and extensive media compatibility. Create realistic packaging mock-ups, premium labels, stunning signs, exquisite point of sale displays, speciality graphics and much more.



CUT



CAMM-1 GR2-640 and GR2-540

Expand Your Business

Featuring added downforce, precision, and a more intuitive cut operation, CAMM-1 GR2 series large format vinyl cutters were built to work in complete harmony with Roland DG printers. Grow your business with GR2 series vinyl cutters that offer more opportunities to expand your sign and graphics output than ever before.

CAMM-1 GS-24 Cutting performance to build your business on

With its redesigned cutting carriage and blade holder, the GS-24 offers higher stability and 40% more downforce than its predecessor (up to 350g) to cut even tough materials such as flock and flex. The overlap cutting function (up to 10x) enables the easy, precision cutting of thicker media including sandblast material and card stock. Other useful features include perforated cutting functions plus the option of cutting per line colour. Cut precision graphics up to 584mm in width to produce vehicle wraps, signage, stickers, textile transfers, packaging prototypes and more. Designed as a desktop device, the GS-24 can also be mounted on a stand. Includes Roland DG CutStudio software.



Roland DG is a market-leading manufacturer of digital wide format inkjet and sublimation printers, cutters, printer/cutters, inks and software whose world-renowned reputation is backed up by unrivalled training and support. Preferred for their unbeatable reliability, versatility and quality, Roland DG devices produce stunning outdoor and indoor applications including signs, banners, posters, labels, vehicle graphics, POS displays, customised merchandise, industrial personalisation and much more. Roland DG technology is distributed by an extensive network of professional and experienced authorised dealers.

SPECIFICATIONS

Maximum media width /	VF2-640		RF-640	BN-20 / 20A
media dimensions	162.5 cm		162.5 cm	51.5 cm
Print and cut	No		No	Yes
Maximum resolution	1200 dpi		1440 dpi	1440 dpi
Printing Speeds	30.4m²/h @ 360x360dpi (4c Max Spee 12.8m²/h @ 720x720dpi (4c Standar		48.5m²/h @ 360x360dpi (Max Speed) 13.1 m²/h @ 360x720dpi (Standard)	BN-20: 1.8m²/h @ 720x720dpi BN-20A: 2.1m²/h @ 720x720dpi
Ink type	TrueVIS TR2		ECO-SOL MAX 2	ECO-SOL MAX & ECO-SOL MAX 2
Ink colours	4 colours (CCMMYYKK), 7 colours (CMYK 8 colours (CMYKLcLmLkOr, CMYKLcLm CMYKLkOrGrWh)		4 colours (CCMMYYKK)	BN-20: 5 colours (CMYKMt or CMYKW BN-20 / 20A: 4 colours (CMYK)
Ink capacity	8 ink pouches (500cc)		8 cartridges (440cc)	5 cartridges (220cc)
Take-up system	Optional		Optional	
Bundled software	VersaWorks 6		VersaWorks 6	VersaWorks 6
Interface	Ethernet		Ethernet	USB
	VG3-540 / VG3-640		SG3-300 / SG3-540	LEC2-640S F300
Maximum media width /	137.1 cm or 162.5 cm		76.2 cm or 137.1 cm	250 x 161.5 x 20 cm
media dimensions				
Print and cut	Yes		Yes	Yes
Maximum resolution	1200 dpi		1200 dpi	1440 dpi
Printing Speeds	VG3-640: 30.4 m²/h @600x600dpi (4c Max VG3-640: 12.8 m²/h @900x600dpi (4c St VG3-540: 28.8 m²/h @600x600dpi (4c Max VG3-540: 12.2 m²/h @900x600dpi (4c St	andard) SG x Speed) SG3	-540: 9.8m²/h @600x600dpi (Max Speed) 3-540: 7.2m²/h @900x600dpi (Standard) -300: 6.8m²/h @600x600dpi (Max Speed) 3-300: 5.7m²/h @900x600dpi (Standard)	14m²/h @ 720x720dpi (4c Max Speed) 9.3m²/h @ 720x720dpi (4c Standard)
Ink type	TrueVIS TR2		TrueVIS TR2	ECO-UV
ink colours	4 colours (CCMMYYKK), 7 colours (CMYK 8 colours (CMYKLcLmLkOr, CMYKLcLm CMYKLkOrGrWh, CMYKLcLmOrG	ıLkWh,	4 colours (CMYK)	4 colours (CCMMYYKK), 6 colours (CMYH WhWhGIGI, CMYKWhWhGIP) 7 colours (CMYKOrReWhPr, CMYKOrReWhWh, CMYKReWhGIP) 8 colours (CMYKOrRe WhGI)
Ink capacity	8 ink pouches (500cc)		4 ink pouches (500cc)	8 cartridges (500cc)*
Take-up system	Included		Included	No
Bundled software	VersaWorks 6		VersaWorks 6	VersaWorks 6
Interface	Ethernet		Ethernet	Ethernet
	LEC2-330 / LEC2-640		LEF-12i / LEF2-200 / LEF2-300 / LEF2-30	0D IU-1000F
Maximum media width / media dimensions	76.2 cm / 162.5 cm		33.5 x 31 x 10 cm / 53.8 x 36 x 10 cm 80 x 36 x 10 cm / 80 x 36 x 20 cm	251 x 131 x 11cm
Print and cut	Yes		No	No
Maximum resolution Printing Speeds	1440 dpi LEC2-640: 11.3m²/h @720x720dpi (4c M LEC2-640: 9.3m²/h @720x720dpi (4c St LEC2-330: 8.9m²/h @720x720dpi (4c St LEC2-330: 7.4m²/h @720x720dpi (4c St	tandard) ax Speed)	1440 dpi 1.1m²/h @ 1440x720dpi (LEF-12i); 1.4 m²/h @ 720x720dpi (LEF2-200); 4 m²/h @ 720x720dpi (LEF2-300 & LEF2-3	635 × 1800 dpi 116m²/h @ 635x300dpi (Max Speec 48m²/h @ 635x600dpi (Standard)
Ink type	ECO-UV		ECO-UV	US Ink
Ink colours	4 colours (CCMMYYKK), 6 colours (CMYK GI, CMYKWhWhGIPr) 7 colours (CMYKO CMYKOrReWhWh, CMYKReWhGIPr) 8 (CMYKOrReWhGI)	rReWhPr, 5/	6 colours (CMYKGIW) (LEF-12i) 6 colours (CMYKW+GI or Pr or W) (LEF2- 6/7 colours (CMYKGIGIW or CMYKPrGIM (LEF2-300)	
Ink capacity	5 cartridges (220cc)		6 cartridges (220cc) / 7 cartridges (220cc or 500cc) (LEF2-300/	/D) 12 bottles (1000cc)**
Take-up system	Optional		-	No
Take-up system Bundled software	Optional VersaWorks 6		- VersaWorks 6	
	·		- VersaWorks 6 Ethernet	
Bundled software	VersaWorks 6			SAi PhotoPRINT Roland Edition v1
Bundled software	VersaWorks 6 Ethernet		Ethernet	SAi PhotoPRINT Roland Edition v1
Bundled software Interface	VersaWorks 6	Maximum media	Ethernet GR2-540 / GR2-640 178.2 cm (GR2-640)	SAi PhotoPRINT Roland Edition v1
Bundled software Interface Maximum media width /	VersaWorks 6 Ethernet XT-640S-DTG 24.1 × 30.5 cm, 30.5 × 40.6 cm,	Maximum media	Ethernet GR2-540 / GR2-640	SAi PhotoPRINT Roland Edition v1
Bundled software Interface Maximum media width / media dimensions	VersaWorks 6 Ethernet XT-640S-DTG 24.1 × 30.5 cm, 30.5 × 40.6 cm, 40.6 × 50.8 cm	_	Ethernet GR2-540 / GR2-640 178.2 cm (GR2-640) 159.4 cm (GR2-540) 162.7 cm x 5000 cm (GR2-640)	SAi PhotoPRINT Roland Edition v1 Ethernet
Bundled software Interface Maximum media width / media dimensions Print and cut	VersaWorks 6 Ethernet XT-640S-DTG 24.1 × 30.5 cm, 30.5 × 40.6 cm, 40.6 × 50.8 cm No 1440 dpi 24 seconds / T-Shirt (Production)	Maximum media Maximum cutt	Ethernet GR2-540 / GR2-640 a widths 178.2 cm (GR2-640) 159.4 cm (GR2-640) 162.7 cm x 5000 cm (GR2-640)	SAi PhotoPRINT Roland Edition v1 Ethernet
Bundled software Interface Maximum media width / media dimensions Print and cut Maximum resolution	VersaWorks 6 Ethernet XT-640S-DTG 24.1 × 30.5 cm, 30.5 × 40.6 cm, 40.6 × 50.8 cm No 1440 dpi	_	Ethernet GR2-540 / GR2-640 a widths 178.2 cm (GR2-640) 159.4 cm (GR2-540) 137.2 cm x 5000 cm (GR2-640) 137.2 cm x 5000 cm (GR2-640)	SAi PhotoPRINT Roland Edition v1 Ethernet
Bundled software Interface Maximum media width / media dimensions Print and cut Maximum resolution Printing Speeds	VersaWorks 6 Ethernet XT-640S-DTG 24.1 × 30.5 cm, 30.5 × 40.6 cm, 40.6 × 50.8 cm No 1440 dpi 24 seconds / T-Shirt (Production) 1 min 20 sec / T-Shirt (High Quality)	Maximum cutt Maximum cuttin	Ethernet GR2-540 / GR2-640 a widths 178.2 cm (GR2-640) 159.4 cm (GR2-540) 137.2 cm x 5000 cm (GR2-640) 137.2 cm x 5000 cm (GR2-640)	SAi PhotoPRINT Roland Edition v1 Ethernet
Bundled software Interface Maximum media width / media dimensions Print and cut Maximum resolution Printing Speeds	VersaWorks 6 Ethernet XT-640S-DTG 24.1 × 30.5 cm, 30.5 × 40.6 cm, 40.6 × 50.8 cm No 1440 dpi 24 seconds / T-Shirt (Production) 1 min 20 sec / T-Shirt (High Quality)	Maximum cutt Maximum cuttin Cutti	Ethernet GR2-540 / GR2-640 178.2 cm (GR2-640) 159.4 cm (GR2-640) 159.4 cm (GR2-640) 137.2 cm x 5000 cm (GR2-640) 137.2 cm x 5000 cm (GR2-640) 1,530mm/s	SAi PhotoPRINT Roland Edition v1 Ethernet
Bundled software Interface Maximum media width / media dimensions Print and cut Maximum resolution Printing Speeds Ink type Ink colours	VersaWorks 6 Ethernet XT-640S-DTG 24.1 × 30.5 cm, 30.5 × 40.6 cm, 40.6 × 50.8 cm No 1440 dpi 24 seconds / T-Shirt (Production) 1 min 20 sec / T-Shirt (High Quality) INKU DTG Pigment 5 colours (CMYKWhWh)	Maximum cutt Maximum cuttin Cutti	Ethernet GR2-540 / GR2-640 178.2 cm (GR2-640) 159.4 cm (GR2-540) 159.4 cm (GR2-640) 137.2 cm x 5000 cm (GR2-640) 137.2 cm x 5000 cm (GR2-640) 137.2 cm x 5000 cm (GR2-640) 140.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 137.2 cm x 5000 cm (GR2-640) 140.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 137.2 cm x 5000 cm (GR2-640) 140.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 137.2 cm x 5000 cm (GR2-640) 140.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 140.4 cm x 5000 cm (GR2-640) 140.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 159.	SAi PhotoPRINT Roland Edition v1 Ethernet
Bundled software Interface Maximum media width / media dimensions Print and cut Maximum resolution Printing Speeds Ink type Ink colours Ink capacity	VersaWorks 6 Ethernet XT-640S-DTG 24.1 × 30.5 cm, 30.5 × 40.6 cm, 40.6 × 50.8 cm No 1440 dpi 24 seconds / T-Shirt (Production) 1 min 20 sec / T-Shirt (High Quality) INKU DTG Pigment 5 colours (CMYKWhWh) 6 cartridges (500cc)	Maximum cutt Maximum cuttin Cutti Medi	Ethernet GR2-540 / GR2-640 178.2 cm (GR2-640) 159.4 cm (GR2-540) 159.4 cm (GR2-640) 137.2 cm x 5000 cm (GR2-640) 137.2 cm x 5000 cm (GR2-640) 137.2 cm x 5000 cm (GR2-640) 140.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 137.2 cm x 5000 cm (GR2-640) 140.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 137.2 cm x 5000 cm (GR2-640) 140.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 137.2 cm x 5000 cm (GR2-640) 140.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 140.4 cm x 5000 cm (GR2-640) 140.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 159.	SAi PhotoPRINT Roland Edition v1 Ethernet
Bundled software Interface Maximum media width / media dimensions Print and cut Maximum resolution Printing Speeds Ink type Ink colours	VersaWorks 6 Ethernet XT-640S-DTG 24.1 × 30.5 cm, 30.5 × 40.6 cm, 40.6 × 50.8 cm No 1440 dpi 24 seconds / T-Shirt (Production) 1 min 20 sec / T-Shirt (High Quality) INKU DTG Pigment 5 colours (CMYKWhWh) 6 cartridges (500cc) No	Maximum cutt Maximum cuttin Cutti Medi	Ethernet GR2-540 / GR2-640 178.2 cm (GR2-640) 159.4 cm (GR2-540) 159.4 cm (GR2-640) 137.2 cm x 5000 cm (GR2-640) 137.2 cm x 5000 cm (GR2-640) 137.2 cm x 5000 cm (GR2-640) 140.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 137.2 cm x 5000 cm (GR2-640) 140.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 137.2 cm x 5000 cm (GR2-640) 140.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 137.2 cm x 5000 cm (GR2-640) 140.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 140.4 cm x 5000 cm (GR2-640) 140.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 159.	SAi PhotoPRINT Roland Edition v1 Ethernet
Bundled software Interface Maximum media width / media dimensions Print and cut Maximum resolution Printing Speeds Ink type Ink colours Ink capacity	VersaWorks 6 Ethernet XT-640S-DTG 24.1 × 30.5 cm, 30.5 × 40.6 cm, 40.6 × 50.8 cm No 1440 dpi 24 seconds / T-Shirt (Production) 1 min 20 sec / T-Shirt (High Quality) INKU DTG Pigment 5 colours (CMYKWhWh) 6 cartridges (500cc)	Maximum cutt Maximum cuttin Cutti Medi	Ethernet GR2-540 / GR2-640 178.2 cm (GR2-640) 159.4 cm (GR2-540) 159.4 cm (GR2-640) 137.2 cm x 5000 cm (GR2-640) 137.2 cm x 5000 cm (GR2-640) 137.2 cm x 5000 cm (GR2-640) 140.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 137.2 cm x 5000 cm (GR2-640) 140.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 137.2 cm x 5000 cm (GR2-640) 140.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 137.2 cm x 5000 cm (GR2-640) 140.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 140.4 cm x 5000 cm (GR2-640) 140.4 cm x 5000 cm (GR2-640) 159.4 cm x 5000 cm (GR2-640) 159.	SAi PhotoPRINT Roland Edition v1 Ethernet

Roland DG Care

Roland DG Care is a complete range of premium services and products to help our customers throughout the lifecycle of their experience with Roland DG. Some of the services offered as part of the program are comprehensive training solutions, industry leading warranty programs and dedicated finance programs.

www.rolanddgcare.com.au

ROLAND ACADEMY

Roland



Roland Academy

Roland Academy offers specialised training to assist our customers to get the most out of their Roland DG equipment and maximise the return on their investment.

Offered in-person and now through Roland Academy online, the courses help students develop their skills and take their knowledge of Roland VersaWorks, colour management and UV printing to the next level, ultimately increasing the efficiency and productivity of their outputl.

Roland*Clinic* sessions are free one-on-one consultations with our Roland DG technical and product specialists. You can bring along materials, files and any questions or issues you have, that our experienced staff may assist you with.

www.rolanddg.com.au/academy

Roland Rental

Roland Rental, Roland DG's trusted finance program, has been leading the way in the industry since 2007. The program makes it easy to obtain a Roland device, with no upfront investment and simply monthly payments.

Roland Rental has evolved from the simple Roland Rental option on equipment only, to now offering Roland Rental Plus and Roland Rental Platinum. The new packages include extra items such as ink and service costs, giving customers greater choice and flexibility whilst making it easy for them to get their business up and running without the upfront investment.

www.rolanddg.com.au/rental



Roland DG Cartridge Recycle Program

In partnership with Close the Loop, we have structured our Cartridge Recycle Program to ensure the simple and efficient collection of empty Roland DG inkjet cartridges. In collaboration with the Roland DG dealer network, the cartridges are collected and returned to Close the Loop, Australia's largest recycling and resource recovery company for imaging consumables.

Driven by a philosophy of zero waste to landfill, Close the Loop reuses or recycles 100% of every inkjet cartridge that we return to them.

Simply drop your cartridges at your local dealer, give them to an Authorised Roland technician at your next scheduled service, or contact us for further options. The empty cartridges will then be packaged up and sent to Close the Loop for processing.

www.rolanddg.com.au/recycle

Industry Leading Warranty

CCRTRIDGE RECYCLE

There's no question that Roland DG wide format inkjets combine unbeatable performance with legendary Roland DG reliability. As further proof, Roland DG offers an unprecedented Three and Five-Year "Heads and all Warranty" program for selected products.

When you register your Roland DG wide format inkjet within 30 days of installation, you are eligible for an additional 2 or 4 years of Roland DG Care Extended on-site service guarantee. All you have to do is ensure that your inkjet system uses our premium OEM inks and is serviced regularly and in accordance with the product maintenance schedule by authorised Roland DG Service Technicians.



www.rolanddg.com.au/warranties